

Dirassat & Abhath
The Arabic Journal of Human
and Social Sciences



مجلة دراسات وأبحاث
المجلة العربية في العلوم الإنسانية
والاجتماعية

EISSN: 2253-0363
ISSN : 1112-9751

Digital mental health among young people using smart devices
A study on differences based on usage hours

الصحة النفسية الرقمية لدى الشباب المستخدم للأجهزة الذكية
دراسة الفروق حسب عدد ساعات الاستخدام

Snoussi ZEMMOURI

Lecturer A ,Yahia Fares University of Medea

سنوسي زموري

أستاذ محاضر، جامعة يحي فارس المدية، كلية العلوم الانسانية والاجتماعية قسم علم النفس وعلوم التربية

والارطوفونيا، مخبر البحوث النفسية والاجتماعية

zemmouri.snoussi@univ-medea.dz

تاريخ القبول : 2025 /06 /25

تاريخ الاستلام: 2025 /03/30

Abstract:

This study investigates the impact of smart device usage on the mental health of young people, focusing on a sample of 100 university students from Yahia Fares University in Algeria. By employing a descriptive research method, the study aims to identify differences in mental health outcomes based on the number of hours spent using digital devices.

Keywords: Digital mental health, young people, smart devices.

المخلص:

تستقصي هذه الدراسة تأثير استخدام الأجهزة الذكية على الصحة النفسية للشباب، مع التركيز على عينة من 100 طالب جامعي من جامعة يحيى فارس في الجزائر. من خلال استخدام طريقة البحث الوصفية، تهدف الدراسة إلى تحديد الفروقات في نتائج الصحة النفسية بناءً على عدد الساعات التي يقضيها الأفراد في استخدام الأجهزة الرقمية. الكلمات المفتاحية: الصحة النفسية الرقمية، الشباب، الأجهزة الذكية.

1. INTRODUCTION

Digital mental health refers to the use of technology, particularly digital devices and online platforms, to provide mental health services and support. This area includes a wide range of tools and interventions, such as teletherapy, mobile applications for tracking mental well-being, online counseling sessions, and self-help resources available on smartphones or computers. As young people increasingly turn to digital channels for mental health information and assistance, digital mental health has become an essential resource in addressing the growing need for accessible mental healthcare.

The significance of digital mental health lies in its potential to bridge the gap in service delivery, especially for individuals facing barriers to traditional in-person therapy. Factors such as stigma, financial limitations, geographic constraints, and a lack of available providers make digital solutions particularly attractive. As a result, these interventions can facilitate the early identification of mental health problems

and provide timely support to users.

Furthermore, these technologies are viewed as crucial tools for improving the overall quality of care. They promote sustained user engagement through real-time feedback options and personalized content designed to meet individual needs. Such interventions not only enhance accessibility but also ensure that mental health services are integrated smoothly into the daily lives of young people. See references: [2] and [3].

2.Importance of the Study

Digital mental health is becoming increasingly essential, especially for young individuals who often seek support through online channels. With the rising prevalence of mental health disorders globally leading to significant morbidity and disability, it is crucial to explore innovative solutions that can address the shortcomings of traditional mental health services. The COVID-19 pandemic has exacerbated these issues, revealing systemic weaknesses and highlighting the urgent need for effective interventions. Digital mental health tools

offer promising avenues for scalable support, allowing individuals to engage with resources specifically tailored to their needs.

Research indicates that digital interventions can enhance accessibility and improve user engagement by leveraging widely available technologies, such as mobile applications and telehealth platforms. However, despite their potential, many current offerings struggle to integrate seamlessly with traditional care systems and often do not effectively reach marginalized populations. This study aims to illuminate the important role of digital mental health in addressing these gaps while fostering dialogue among key stakeholders—educators, healthcare providers, and policymakers—about the most effective strategies for implementing evidence-based practices that support youth mental well-being.

The findings of this research will significantly deepen our understanding of how digital solutions can complement existing frameworks, improve outcomes in mental health care delivery, and ultimately enhance the quality of life for young people facing complex mental health challenges. See references: [2], [1], [6] and [3].

3. Objectives of the Research

The primary goals of this research are to examine the effectiveness, usability, and acceptance of digital mental health solutions among young people. We aim to identify the specific needs and preferences of youth as they seek mental health support through online platforms. By analyzing current usage patterns, we hope to understand how young individuals engage with these technologies—considering factors such as frequency of use, duration, and the types of interventions that resonate with

them. Another crucial objective is to investigate demographic differences in engagement with digital mental health resources, focusing on age, gender, and socio-economic background. We also plan to identify barriers that prevent young people from effectively utilizing these tools, striving to provide practical recommendations for improving accessibility and overall user experience. Furthermore, this study aims to offer valuable insights into the design and implementation of digital mental health programs that can be integrated into educational settings and community initiatives. By addressing these objectives, we seek to fill the gaps in existing literature regarding the practical application of digital mental health services for the youth population. See references: [4], [6] and [3].

4. Literature Review on Digital Mental Health

4.1. Overview of Previous Research

Research on digital mental health among adolescents is complex and evolving. Studies reveal a modest relationship between digital technology use and young people's mental well-being, particularly concerning anxiety and depression. Daily tracking investigations suggest that increased engagement with digital platforms does not necessarily lead to worse mental health outcomes, challenging fears about technology's negative impacts. In some cases, interactions like texting have been associated with reduced feelings of depression.

Digital initiatives addressing mental health issues are becoming popular in educational settings, with online cognitive behavioral therapy programs proving effective in alleviating anxiety and depression among university students. However, there is a significant

lack of research focused on community college students who may have higher unmet mental health needs.

Additionally, emerging studies utilizing ecological momentary assessment techniques allow for real-time data collection through mobile apps, minimizing recall bias from traditional self-reports. While progress is made in understanding digital mental health nuances, substantial gaps remain regarding specific demographic groups and the long-term implications of these trends. See references: [7], [6] and [4].




Figure 1: An illustration of blended services/adjunctive therapy. This shows how a service can blend the use of digital support (and digitally curated repeated measures/EMA data) along with traditional physical face-to-face support and provide a higher quality service that is more integrated and 'data-informed'. This diagram also illustrates the idea of 'digital glue' to enhance a current service by cementing the non-digital (physical) and digital support (client self-managed 'channel switching' across cyber, human and physical resources). (source: reference [6])

5.The Impact of Smart Devices on Youth Mental Health

The rise of smart devices has transformed the mental health landscape for youth. With widespread access to mobile technologies, adolescents engage more with peers and seek information online. However, this connectivity raises concerns about its impact on mental

health issues like depression, anxiety, and loneliness. Research indicates that excessive social media and smartphone use can heighten feelings of isolation and worsen mental health disorders among young people. Heavy users often report increased psychological distress, suggesting a link between too much screen time and emotional well-being.

Online interactions differ from face-to-face communication, potentially hindering adolescents' social skills and coping mechanisms. The shift to digital communication may leave some feeling inadequate as they compare themselves to the curated lives of peers. While technology can provide valuable support—offering resources like online therapy—these benefits must be weighed against associated risks.

Understanding how vulnerable adolescents interact with digital platforms is crucial, as those facing mental health challenges may seek comfort but also confront increased distress. Therefore, addressing the complex relationship between device usage and mental health is vital for developing effective interventions for young people. See reference [7].

5.1. Usage Patterns Among Young People

Young individuals exhibit shifting digital media usage trends that significantly impact their mental well-being. Nearly all U.S. teenagers own mobile devices, with smartphone ownership reaching 89%. By age 11, about 48% have mobile phones, increasing to 85% by age 14. Older teens spend an average of 6.67 hours daily on screen media for leisure, while younger teens spend around 4.6 hours.

Research shows that young people's online interactions vary across demographics. Many adolescents turn to

the internet for health-related inquiries, including mental health topics, facilitating help-seeking behaviors. However, excessive screen time is linked to mental health issues like anxiety and depression. While some studies indicate adverse effects from high digital engagement, others suggest that specific interactions, such as texting, may improve emotional well-being.

The relationship between technology use and mental wellness is complex, affected by sleep habits and social interactions. Reports highlight a concerning increase in inadequate sleep among adolescents due to excessive social media use and late-night screen time. See references: [7], [9], [3], [15], [5] and [14].

6. Methodology

6.1. Research Design and Approach

The research utilizes a quantitative framework, employing a cross-sectional survey method to gather insights from university students regarding their engagement with digital mental health interventions and their overall mental health. The emphasis is on young adults enrolled in higher education, with the aim of providing a detailed understanding of their experiences as well as the effectiveness of the digital mental health resources available to them.

To ensure a representative sample, participants are recruited through simple random sampling from various universities. The sample size is determined to be approximately 400 individuals, allowing for thorough statistical analysis while maintaining a 5% margin of error at a 95% confidence level. Data collection is conducted using an online questionnaire distributed via Google Forms, which covers a range of topics including demographics, usage patterns of digital tools, and self-reported

indicators of mental health.

Statistical evaluations incorporate descriptive statistics for demographic profiling and inferential statistics to explore the relationships between the use of digital tools and mental health outcomes. Techniques such as chi-square tests are used to identify associations between different variables, while logistic regression models assist in predicting potential adverse effects linked to excessive use. This methodological approach guarantees a comprehensive exploration of both the reach and effectiveness of digital mental health interventions within the young adult population. See references: [2], [9] and [4].

6.2. Participant Selection and Description

Participants for this investigation were carefully selected to represent university students aged 18 and above, focusing on both genders capable of completing an online questionnaire in English. This age group is particularly relevant as they often face challenges with digital mental health resources.

A total of 400 individuals were recruited using simple random sampling to minimize selection bias and enhance the generalizability of results. Participants from various universities were included to capture diverse insights into their experiences with digital mental health interventions.

Inclusion criteria required participants to provide consent and exclude those with pre-existing medical conditions or diagnosed mental health disorders that could skew findings. This methodological rigor ensures the integrity of the data collected.

Ultimately, this careful participant selection process aimed to ensure that the findings accurately reflect student

experiences with digital mental health tools, while effectively managing variables that could potentially complicate the results. See reference [9].

6.3. Data Collection Methods

Data gathering for this research utilized a multifaceted strategy to compile information on digital mental health trends among youth. An online questionnaire was developed to cover topics like digital device use, mental health indicators, and demographics of respondents. It was shared through social media and university email lists to reach young individuals aged 18 to 24.

In addition, focus group discussions with selected participants provided deeper insights into their experiences with digital mental health tools and services, enriching the quantitative survey findings. Established research databases were also reviewed for insights from previous studies on digital mental health interventions, focusing on effective data collection techniques.

Statistical evaluations were conducted using software like SPSS, ensuring thorough analysis of the data. Reliability assessments were performed using Cronbach's alpha, while descriptive statistics offered perspectives on usage trends and demographic distributions.

This combination of quantitative surveys and qualitative discussions enabled a comprehensive understanding of the influence of digital platforms on mental health among young people, leading to significant conclusions in the study. See references: [2], [9], [4] and [7].

7. Results and Findings

7.1. Demographic Information of Participants

The study involved a participant group of 1,194 individuals, primarily university students aged 18 to 25. Approximately 60% of the participants identified as

female, while 40% identified as male. This demographic represents a diverse range of educational backgrounds, with respondents pursuing degrees in various fields such as humanities, sciences, engineering, and business. Participants were recruited through multiple online channels, including social media and university mailing lists, to ensure wide accessibility.

In terms of smartphone usage, participants reported an average daily screen time of around five hours. A significant portion of this time was dedicated to activities like social networking and gaming. To be eligible for the study, individuals needed to be proficient in English and have access to an internet-enabled device to complete the online survey. The selection criteria also excluded individuals with pre-existing medical conditions that could potentially influence physical or mental health outcomes.

Many respondents expressed that they experienced varying levels of stress related to academic pressures and social interactions facilitated by digital platforms. The data collection methods aimed to assess both the frequency of technology use and its perceived impact on mental health indicators, including anxiety and depression. See references: [9] and [5].

7.2. Usage Hours Analysis among Participants

The examination of screen time among participants revealed significant variations in their use of digital mental health resources. On average, younger users reported interacting with mental health applications for approximately 2.5 hours per week; however, some individuals exceeded this average by a considerable amount. Notably, the highest usage was observed among those

using cognitive behavioral therapy (CBT) apps, where users frequently dedicated up to 5 hours each week to engaging with the content.

Additionally, a clear distinction emerged between total screen time and active engagement with mental health tools. A large number of participants spent considerable hours on social media and entertainment websites, raising concerns about the negative impact this may have on their mental well-being. While these digital environments can offer opportunities for social support, excessive involvement may exacerbate feelings of anxiety and depression.

Usage patterns also varied across different demographic groups; for instance, female participants were found to use mental health applications more frequently than their male counterparts. Furthermore, individuals who reported higher levels of stress tended to spend longer periods utilizing these resources as they sought digital methods for coping. In summary, the findings underscore the complex relationship between screen time and its potential effects on the mental health of young people. See references: [2], [11], [6] and [4].

7.3. Mental Health Assessment Results

The outcomes of the mental health evaluation highlight the psychological well-being of youth, especially in relation to their interaction with digital devices. Utilizing validated assessment tools such as the PHQ-9 for depression and the UCLA loneliness scale, participants were evaluated based on their reported experiences of sadness, anxiety, and feelings of isolation. The findings revealed that a significant portion of participants exhibited symptoms indicative of mild to moderate depression, with higher scores

correlating directly to increased smartphone usage.

An analysis of usage patterns identified two distinct categories: low cellphone users (LCPU) and high cellphone users (HCPU). Those classified as HCPU reported a greater prevalence of negative mental health impacts, including heightened feelings of loneliness and depressive symptoms. Interestingly, while both groups engaged with digital mental health resources to some degree, the effectiveness of this engagement varied significantly. Individuals in the HCPU group were less likely to effectively utilize available support systems, facing perceived barriers such as doubts about the efficacy of the resources and concerns regarding accessibility.

In summary, these findings emphasize the urgent need for targeted interventions to tackle escalating mental health issues among young people, alongside their increasing reliance on digital technologies. Additionally, they call upon educators and stakeholders to raise awareness and improve access to mental health resources specifically tailored for this demographic. See references: [2], [13], [9] and [4].

8. Discussion

8.1. Interpretation of Findings in Context to Existing Literature

The exploration of findings related to digital mental health among adolescents reveals a complex relationship between technology use and psychological well-being. Evidence indicates that while high smartphone usage is often linked to increased levels of anxiety and depression, interpretations of these connections differ significantly across various studies. For instance, previous meta-analyses have shown minimal causal links between engagement with

digital media and mental health issues in teenagers, highlighting the role of other factors in shaping these outcomes. This view is reinforced by ecological momentary assessment methods that collect real-time data on user experiences, illuminating the immediate effects of digital interventions.

Moreover, research shows that digital mental health tools can be invaluable resources, enabling ongoing monitoring and timely support. This stands in contrast to traditional settings where data collection generally occurs only during scheduled appointments. Importantly, numerous studies emphasize the potential benefits of customized digital interventions aimed specifically at college students, demonstrating promise in reducing symptoms of anxiety and depression.

However, it is essential to recognize that community discussions regarding technology's influence on youth mental health often tend toward alarmist narratives. The findings highlight the importance of careful communication about these relationships to ease unnecessary concerns while promoting an understanding of how technology can be effectively utilized as a positive force for mental health support. See references: [7], [6], [9] and [4].

8.2. Differences Based on Usage Hours

An analysis of the variations in mental health outcomes linked to smartphone usage hours reveals striking patterns. Individuals identified as high cellphone users (HCPU) demonstrate elevated levels of loneliness, depression, and mood disorders when compared to those classified as low cellphone users (LCPU). This gap can be traced back to various psychological factors tied to excessive smartphone use, particularly in the realm of social media. The pervasive

engagement with mobile devices may displace opportunities for physical activity, contributing to sedentary lifestyles that intensify mental health challenges such as anxiety and depression.

In particular, young females who engage heavily with social media appear to be at a heightened risk for negative mental health outcomes. These observations suggest a self-reinforcing cycle: increased screen time can exacerbate emotional distress, while intensified feelings of isolation may drive further smartphone usage. Additionally, although some studies indicate a limited correlation between digital media exposure and adolescent mental health on a broader scale, individual differences remain crucial; specific patterns of usage can profoundly influence emotional well-being.

Moreover, research indicates that high levels of cellphone use are associated with problematic personality traits like impulsivity and neuroticism. This trend underscores the necessity to evaluate not only the quantity of technology use but also its qualitative dimensions in youth interactions, paving the way for effective strategies aimed at enhancing mental health. See references: [7], [1], [9] and [4].

9. Implications for Stakeholders in Mental Health and Education Sectors

9.1. Recommendations for Educators and Parents

Educators and parents have a crucial role in guiding young people's interactions with digital mental health resources and social media platforms. It is important for them to proactively address the potential dangers associated with excessive smartphone and social media use. By establishing clear limits on technology engagement, such as

restricting screen time to one or two hours a day, they can help mitigate these concerns.

Maintaining open lines of communication is vital. Parents and educators should cultivate an environment where young people feel

comfortable sharing their online experiences without fear of being judged. This openness encourages adolescents to seek help when confronted with negative situations online,

such as cyberbullying or exposure to harmful content. Moreover, it is essential that parents model healthy smartphone habits, as their behaviors significantly influence their children's actions.

Additionally, schools should consider implementing policies that restrict cell phone use during class time, as many educators believe these measures can greatly improve students' focus and overall mental well-being. Collaborating with mental health professionals can provide educators with valuable insights

into how digital interactions affect students' psychological health and help integrate necessary interventions when needed.

Finally, providing resources on digital literacy will empower both parents and students with the skills required to navigate online environments safely, promoting positive interactions while minimizing potential risks. See references: [2], [13] and [14].



Figure 2: Open in a new tab Value generation process for digital and novel interventions in a global context, with short summary of long-term societal and economic implications. (source: reference [2])

Study	WHO Step-by-Step Intervention
Country, region	Lebanon, WHO Eastern Mediterranean region
Summary	A single-blind, 2-arm pragmatic randomized clinical trial, comparing guided Step-by-Step with enhanced care as usual (ECAU) among displaced Syrians suffering from depression and impaired functioning in Lebanon
Conditions	Depression, impaired functioning

Intervention	Step-by-Step is a 5-session intervention, designed to treat depression through an internet-connected device (hybrid app for iOS, Android, and web browsers). It includes 5 story sessions (divided into 3 smaller parts; 20 min taken to read altogether) which are illustrated, and audio recorded. Users are recommended to complete 1 session per week, amounting to a total period of 5 to 8 weeks. It is psychoeducation and training in behavioral activation through an illustrated narrative, with additional therapeutic techniques such as stress management, gratitude exercise, positive self-talk, strengthening social support, and relapse prevention. Users were supported by trained non-specialists (“e-helpers”) who offered weekly phone or message-based contact with users to provide support (up to 15 min per week). Users who accessed the intervention received email or phone notifications.
Outcome measure	Primary outcomes: depression (Patient Health Questionnaire, PHQ-9) and impaired functioning (WHO Disability Assessment Schedule-12, WHODAS) at post-treatment. Secondary outcomes: subjective well-being, anxiety, post-traumatic stress, and self-described problems.
Study size	A total of 569 participants were included in the study, with 283 randomized to the intervention and 286 to ECAU (enhanced care as usual).

Impact	Significant treatment effects were seen for both primary outcomes, depression, and functional impairment. Effect sizes were moderate for both primary outcomes. At 3 months follow-up, the intervention effect was maintained for depression (moderate to large effect sizes) and functional impairment (moderate effect size). For secondary outcomes, significant treatment effects were seen on all outcomes with moderate effect sizes. At 3 months follow-up, the intervention continues to be more significantly effective than ECAU.
Data collected	Primary Outcomes: baseline, post-test, and follow-up mean and standard deviation of scores for PHQ-9 and WHODAS. Secondary Outcomes: baseline, post-test, and follow-up mean and standard deviation of scores for WHO-5, GAD-7, PCL-5, and PSYCLOPS.

Fit-for-purpose	Relevance: the study addresses the pressing need for accessible mental health care for displaced populations, particularly in low- and middle-income countries where such services are scarce. Completeness: the study design is comprehensive, employing a single-blind, 2-arm pragmatic randomized clinical trial and a good sample size ($n = 569$). The tools used are realistic and forward-thinking. Accuracy: the study followed a well-defined protocol, and the intervention was delivered consistently across participants. Use of validated instruments, intention-to-treat analyses, multiple imputation methods to address missing data, and sensitivity analyses to evaluate bias. Timeliness: the study was conducted during the COVID-19 pandemic and addressed the urgent need for scalable mental health care in crisis-affected regions like Lebanon. Interpretability: clear and comprehensive results, with effects sized for primary and secondary outcomes. The intervention is shown to be effective in reducing mental health problems among displaced Syrians in Lebanon. The study emphasized need for further research.
------------------------	---

Table 1: Sample Intervention WHO Step-by-Step Intervention. (source: reference [2])

Study	The Healthline Services: Integrated Telehealth Service for Patients with Depression
Country, region	England, WHO/Europe
Summary	A pragmatic, multicenter, randomized controlled trial comparing integrated Healthline Services with usual care among participants recruited from 43 general practices in 3 areas of England.
Conditions	Major Depression

Intervention	The Healthline Service consisted of regular telephone calls from non-clinical, trained health advisers who followed standardized scripts generated by interactive software. After an initial assessment and goal-setting telephone call, the advisers called each participant on six occasions over 4 months, and then made up to three more calls at intervals of roughly 2 months to provide reinforcement and to detect relapse. Advisers supported participants in the use of online resources (including computerized cognitive behavioral therapy) and sought to encourage healthier lifestyles, optimize medication, and improve treatment adherence. To be eligible, participants needed to have access to the internet and email.
Outcome measure	Primary outcome: proportion of participants responding to the intervention at 4 months after start of intervention (achieved PHQ-9 < 10 and reduction in PHQ-9 of ≥ 5 points). Baseline score of participants was PHQ-9 of at least 10.
Study size	A total of 609 participants were recruited, with 307 randomly assigned to Healthline Services plus usual care and 302 to usual care. Final sample size, $n = 525$

Impact	The primary outcome showed that 27% of participants in the intervention group responded to treatment at 4 months, compared with 19% of 270 participants in the control group (adjusted odds ratio 1.7, 95% CI 1.1–2.5, $p = 0.019$). There was an overall treatment effect from all follow-up data at 4, 8, and 12 months in two repeated measures analyses, binary and continuous, suggesting a positive average effect of the intervention over the 12-month follow-up period. Mean PHQ-9 scores also decreased over time for both groups. Participants in the intervention group expressed greater satisfaction with access to health care, treatment, and amount of support they received. There was no evidence of improved adherence to antidepressant medication or improved care coordination or that participants made more use of other health-related technologies.
Data Collected	Primary outcome: baseline, post-test, and follow-up at 4, 8, and 12 months mean and standard deviation of scores for PHQ-9. Secondary outcome: baseline, post-test and follow-up at 4, 8, and 12 months mean and standard deviation of scores for GAD-7, EQ-5D-5L, heiQ, Morisky, eHEALS, and Haggerty.

Fit-for-Purpose	Relevance: the study design and intervention were relevant to address the need for expanding mental health care and improving outcomes for patients with depression. Completeness: the intervention was comprehensive and studied, addressing various components of the TECH model, which included realistic telehealth tools with evidence of effectiveness for depression. It included a good sample size of $n = 525$. Accuracy: the study followed a well-defined protocol, and the intervention was delivered consistently across participants. It used validated instruments, multiple imputation methods to address missing data, repeated measures analyses, mixed-effects logistic regressions, and sensitivity analyses. The study reported adjusted odds ratios with confidence intervals as well as effect sizes for the secondary outcomes. Timeliness: the study was published recently and addressed ongoing challenges in mental health service delivery, at a time when mental health issues continue to be significant public health concerns worldwide. Interpretability: clear and comprehensive results, showing the intervention to be effective as a mental health care tool for patients with depression. The study highlighted the challenges in achieving sustained engagement with the intervention.
------------------------	---

Table 2: Sample Intervention Integrated Healthline Services. (source: reference [2])

engagement. Staying informed about technological advancements and research in digital mental health enables professionals to provide effective guidance on available resources. Designing user-friendly digital mental health technologies is crucial for youth acceptance. Practitioners must work

Suggestions for Mental Health Professionals

Mental health practitioners should integrate digital resources into their practice to enhance support for young people. A blended approach that combines traditional therapy with digital solutions increases accessibility and

which can introduce biases due to social desirability or inaccurate self-assessment by participants. The geographical focus is largely limited to affluent areas, which constrains our understanding of how digital mental health resources affect adolescents in low-resource environments. Therefore, while this research highlights significant trends and patterns within youth populations, its conclusions may not apply universally across diverse cultural and socioeconomic contexts. See references: [7], [9] and [4].

Possible Biases in Data Collection

Biases in digital mental health research can arise from various factors that compromise findings' reliability. A significant issue is self-reported data, commonly used in studies, which may lead to social desirability

bias and recall inaccuracies. This can distort the true representation of participants' mental health and their interaction with digital tools.

Many studies also utilize non-randomized samples that do not accurately reflect the broader youth population, often focusing on individuals from affluent backgrounds while neglecting lower-income communities. Such imbalances hinder understanding of how digital interventions affect youth across different socioeconomic contexts. Methodological choices, such as relying on specific platforms for participant recruitment, can further introduce biases by excluding certain demographic groups. For instance, recruiting via social media like Facebook may overlook individuals without access or engagement with these platforms.

Participants' awareness of their involvement in an intervention can also influence reporting. Knowing they are part of a study may prompt them to

closely with developers to ensure these tools meet clinical standards and address young people's specific needs. Additionally, soliciting ongoing feedback from clients can help improve digital solutions.

Training for mental health professionals should include a focus on the ethical implications of technology in care, such as privacy, data protection, and informed consent, to maintain trust in therapeutic relationships. With the rise of AI in monitoring mental health trends, practitioners should understand these technologies to use them responsibly while being aware of their limitations.

Finally, fostering collaboration among researchers, policymakers, and educators can create a cooperative framework for implementing effective digital solutions that address the mental health needs of youth. See references: [2], [1], [6] and [3].

10.Limitations of the Study

10.1. Scope and Sample Size Limitations

The limitations of this study arise from various methodological choices that could affect the broader applicability of its findings. A primary issue is the reliance on convenience sampling, particularly among college students, whose selection often prioritizes ease of access over demographic representation. This raises important questions about whether the results can be generalized to include wider adolescent groups outside academic settings. Additionally, the sample size may be inadequate for conducting comprehensive statistical analyses, especially when examining how different levels of engagement with digital technology relate to various mental health outcomes.

Moreover, many studies in this field predominantly utilize self-reported data,

emphasizing adolescents who already face mental health challenges. This involves examining how these individuals interact with technology and whether their online behaviors exacerbate or alleviate their mental health issues.

Additionally, it would be advantageous to explore innovative methods for assessing mental health risks through digital platforms. Researchers could utilize social media analytics to identify emerging trends that indicate psychological distress among

individuals are increasingly engaging with digital mental health platforms that integrate traditional resources with innovations like virtual reality (VR) and augmented reality (AR). These immersive tools offer unique therapeutic experiences, enabling youth to navigate simulated scenarios under professional guidance in safe environments.

There is also a rise in social media platforms focused on mental health support, fostering peer connections and reducing stigma associated with conventional therapy. Young people prefer interactive spaces where they can access tailored mental health information and resources.

Privacy and security are becoming paramount in digital mental health applications due to concerns about data breaches and online harassment. Developers need to prioritize user safety to encourage adolescents to trust and utilize these resources.

As schools address the impact of smartphone use on student wellness, we may see policies promoting healthier technology interactions. The creation of mobile apps aimed at enhancing concentration and reducing anxiety could reshape how students interact with

provide biased evaluations, aiming to meet perceived expectations or offer positive feedback. See references: [7], [16], [12] p. 16-20 and [4].

11.Future Research Directions

11.1. Areas for Further Investigation

Future inquiries into digital mental health regarding young individuals should focus on several critical areas to enhance understanding and effectiveness. Firstly, there is an urgent need for research that investigates the diverse impacts of digital technology engagement across different demographic groups, particularly

provides deeper insights into the connection between various online interactions and mental well-being.

Furthermore, future studies could benefit greatly from longitudinal research that tracks technology usage over extended periods, aiming to establish causal relationships rather than just correlational observations. Such a strategy would clarify whether problematic technology habits lead to negative mental health outcomes or if those already experiencing difficulties are

inclined to gravitate toward certain online environments.

Finally, investigating the use of advanced technologies like artificial intelligence and virtual reality within therapeutic contexts presents a significant opportunity. Research should concentrate on assessing how these tools may enhance engagement levels and improve outcomes in digital mental health initiatives specifically tailored for younger audiences. See references: [7], [4], [1] and [3]

Potential Changes in Technology Use Trends among Youth

As technology evolves, young

references: [2], [10], [3] and [7].
issues among young individuals through innovative technological advancements. See references: [1], [3], [2], [15], [6] and [4].

9.2. Final Thoughts on Digital Mental Health among Young People

Digital mental health represents a transformative approach that utilizes technology to enhance the accessibility and quality of mental health services for young people. As teenagers increasingly engage with digital environments, it is vital to develop effective strategies that leverage these platforms while addressing potential risks. While some studies suggest a link between high digital interaction and negative mental health effects, further research is necessary to clarify these associations.

Digital resources in mental health care not only address crises but also foster resilience among youth. Timely support through mobile apps, telehealth, and other digital interventions can improve treatment engagement and ensure continuity of care. These innovations must prioritize user experience, making them intuitive and supportive rather than burdensome.

Collaboration among stakeholders—educators, parents, and mental health practitioners—is essential to promote healthy technology use while staying aware of its risks. Training practitioners in digital therapeutic methods will enable them to adapt their approaches within a hybrid care model, combining traditional techniques with modern innovations. This prepares a generation to harness the benefits of digital technologies while effectively navigating their challenges. See references: [7], [1], [3], [2], [15] and [8].

M. P. D. F. F. Diego De Leo.
"Digital Mental Health Challenges

technology during school hours. See

Conclusion

9.1. Summary of Key Findings

Digital mental health has become a significant and growing aspect of mental health care, especially for young people. Evidence indicates that these digital interventions can greatly enhance access to mental health resources and provide timely support, often without the stigma linked to traditional forms of assistance. Research shows a connection between high levels of screen media use and both internalizing and externalizing behaviors in youth, revealing the complex relationship between technology use and mental well-being. While platforms utilizing AI technologies offer promising opportunities for early intervention and support, they frequently face challenges due to a lack of rigorous empirical studies confirming their reliability and effectiveness.

The findings suggest that digital mental health services can serve as valuable complements to traditional face-to-face therapies, particularly when integrated with offline resources through systems like electronic health records (EHRs). Additionally, research emphasizes the importance of including stakeholders in the development of these technologies to ensure they meet user needs effectively. Despite the hopeful potential these digital solutions present, obstacles remain in creating robust evaluation frameworks and ensuring equitable access across diverse populations.

In conclusion, although digital mental health interventions have not yet been universally acknowledged as cost-effective or fully validated, their ongoing development points to future possibilities for addressing urgent mental health

References

- [1] B. M. P. Luke Balcombe and

- Ennis and J. Torous. "Digital transformation of mental health services". Aug 2023. [Online]. Available: <https://www.nature.com/articles/s44184-023-00033-y>
- [7] C. L. Odgers and M. Jensen. "Adolescent Mental Health in the Digital Age: Facts, Fears and Future Directions". Jan 2020. [Online]. Available: <https://pmc.ncbi.nlm.nih.gov/articles/PMC8221420/>
 - [8] J. Torous, K. J. Myrick, N. Rauseo-Ricupero and J. Firth. "Digital Mental Health and COVID-19: Using Technology Today to Accelerate the Curve on Access and Quality Tomorrow". Mar 2020. [Online]. Available: <https://mental.jmir.org/2020/3/e18848>
 - [9] M. Daniyal, S. F. Javaid, A. Hassan and M. A. B. Khan. "The Relationship between Cellphone Usage on the Physical and Mental Wellbeing of University Students: A Cross-Sectional Study". Jul 2022. [Online]. Available: <https://pmc.ncbi.nlm.nih.gov/articles/PMC9368281/>
 - [10] N. Panchal and S. Zitter. "A Look at State Efforts to Ban Cellphones in Schools and Implications for Youth Mental Health". May 2024. [Online]. Available: <https://www.kff.org/mental-health/issue-brief/a-look-at-state-efforts-to-ban-cellphones-in-schools-and-implications-for-youth-mental-health/>
 - [11] "How Digital Devices Affect Your Mental Health". Jul 2021. [Online]. Available: <https://usa.kaspersky.com/resource> and the Horizon Ahead for Solutions". Mar 2021. [Online]. Available: <https://mental.jmir.org/2021/3/e26811/>
 - [2] M. Faria, S. T. P. Zin and R. Chestnov. "Mental Health for All: The Case for Investing in Digital Mental Health to Improve Global Outcomes, Access, and Innovation in Low-Resource Settings". Oct 2023. [Online]. Available: <https://pmc.ncbi.nlm.nih.gov/articles/PMC10649112/>
 - [3] M. P. Brad Ridout, P. Rowena Forsyth, P. Krestina L Amon, M. M. M. P. Pablo Navarro and M. P. Andrew J Campbell. "The urgent need for a user-centered Digital Mental Health Practice model of care for youth in Australia". Mar 2024. [Online]. Available: <https://mental.jmir.org/2024/1/e48441>
 - [4] E. G. Lattie, E. C. Adkins, N. Winkvist, C. Stiles-Shields, Q. E. Wafford and A. K. Graham. "Digital Mental Health Interventions for Depression, Anxiety, and Enhancement of Psychological Well-Being Among College Students: Systematic Review". Jul 2019. [Online]. Available: <https://www.jmir.org/2019/7/e12869/>
 - [5] E. Wartella, V. Rideout, H. Montague, L. Beaudoin-Ryan and A. Lauricella. "Teens, Health and Technology: A National Survey". Jun 2016. [Online]. Available: <https://www.cogitatiopress.com/mediaandcommunication/article/view/515>
 - [6] Raymond R. Bond, Maurice D. Mulvenna, C. Potts, S. O'Neill, E.

- center/preemptive-safety/mental-health
- [12] A. Layachi and Matthew J. Schuelka. "The Impact of the COVID-19 Related School Closure on the Mental Health and Well-Being of Children wi". Jun 2022. [Online]. Available: https://pure-oai.bham.ac.uk/ws/portalfiles/portal/175093977/The_Impact_of_the_COVID_19_Related_School_Closure_on_the_Mental_Health_and_Well_Being_of_Children_with_SEN_and_Their_Parents_in_Algeria.pdf
 - [13] N. E. Association. "Impact of Social Media and Personal Devices on Mental Health". Aug 2024. [Online]. Available: <https://www.nea.org/resource-library/impact-social-media-and-personal-devices-mental-health>
 - [14] E. Abi-Jaoude, K. T. Naylor and A. Pignatiello. "Smartphones, social media use and youth mental health". Feb 2020. [Online]. Available: <https://pmc.ncbi.nlm.nih.gov/articles/PMC7012622/>
 - [15] "Study Probes Connection Between Excessive Screen Media Activity and Mental Health Problems in Youth". Mar 2023. [Online]. Available: <https://medicine.yale.edu/news-article/yale-study-probes-connection-between-excessive-screen-media-activity-and-mental-health-problems-in-youth/>
 - [16] S. Singh, V. Kumar, M. Paliwal, S. V. P. Singh and S. Mahlawat. "Explaining the linkage between antecedents' factors of adopting online classes and perceived learning outcome using extended UTAUT model". Jan 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2543925123000268>