



Psychoeducation for Family Caregivers of Alzheimer's Patients to Improve Their Health and Quality of Life

التربية النفسية للمرافقين الاسريين لمرضى الزهايمر قصد تحسين صحة ونوعية حياتهم

Ibtissem Ouali (*)

Laboratory of Health Psychology
Prevention and Quality of Life
University of Algiers-2
, Algérie

ibtissem.ouali@univ-alger2.dz

Dalila Zenad

Laboratory of Health psychology
Prevention and Quality of Life
University of Algiers-2
, Algérie

zenaddalila@yahoo.fr

Received: 14/11/2023

Accepted : 22/11/2024

Publication: 29/12/2024

ملخص:

مرض الزهايمر، وهو نوع شائع من الخرف، يؤثر بشدة على الذاكرة والتفكير والسلوك، مما يستدعي في كثير من الأحيان رعاية مستمرة. يواجه المرافقين، الذين هم عادة من الأقارب، عبئاً جسدياً وعاطفياً كبيراً، مما قد يؤثر على صحتهم ونوعية حياتهم. يناقش هذا المقال الدور الحيوي لبرامج التربية النفسية في تحسين نوعية حياة المرافقين الاسريين والحفاظ على صحتهم من خلال تعزيز قدرتهم على إدارة الأعراض المرتبطة بالزهايمر، والتوتر، والتحديات المرتبطة بالرعاية المنزلية. تهدف برامج التربية النفسية إلى تزويد المرافقين بالمعرفة اللازمة حول مرض الزهايمر وتقنيات إدارة التوتر.

أظهرت الأبحاث أن هذه البرامج تقلل بشكل فعال من التوتر والقلق بينما تحسن من قدرة المرافقين الاسريين على التحمل والرفاهية العامة. وقد ثبت أن استراتيجيات مثل إدارة الوقت والتدخلات الجماعية تحقق نجاحاً في معالجة مشاعر العزلة، وتعزيز الصحة النفسية، وتؤخر إدخال المرضى إلى المؤسسات. تُظهر دراسات الحالة أن برامج التربية النفسية تدعم رعاية أكثر استدامة في المنزل، مما يبرز الحاجة إلى تدخلات مخصصة. تساعد هذه البرامج الشخصية والمكثفة في تلبية احتياجات المرافقين الخاصة، وتقديم الدعم الحيوي لضمان رعاية طويلة الأمد وعالية الجودة للمرضى المصابين بمرض الزهايمر.

الكلمات المفتاحية:

(*) Autor corresponding: Ibtissem Ouali: ibtissem.ouali@univ-alger2.dz



مرض الزهايمر، مقدم الرعاية، الصحة الجسدية، نوعية الحياة، التثقيف النفسي.

Abstract:

Alzheimer's disease, one of the most prevalent types of dementia, profoundly impacts memory, reasoning, and behavior, often making continuous care essential. Family members who provide care face substantial physical and emotional challenges, which can negatively affect their own health and overall quality of life. This article highlights the crucial role of psychoeducational programs in enhancing caregivers' well-being by equipping them with skills to handle dementia-related symptoms, manage stress, and navigate the complexities of in-home caregiving. Psychoeducation programs focus on providing caregivers with a deeper understanding of Alzheimer's disease along with practical stress management strategies. Research indicates that these programs significantly reduce stress and anxiety, while building resilience and improving caregivers' mental health. Techniques such as time management and group support have shown to be effective in reducing feelings of isolation, promoting better mental health, and even postponing the need for patient institutionalization.

Case studies reveal that psychoeducational programs contribute to more enduring in-home caregiving, highlighting the importance of customized approaches. These specialized programs address individual caregiver needs, offering essential support to ensure patients with Alzheimer's disease receive sustained, quality care over the long term.

Key words:

Alzheimer's disease, caregivers, physical health, quality of life, psych education.

.1Introduction

Alzheimer's disease, the most common form of dementia, leads to a gradual decline in cognitive abilities, particularly affecting memory, reasoning, and behavior. It accounts for an estimated 60-70% of dementia cases worldwide, with approximately 55 million people currently affected—a figure anticipated to rise as populations age. The disease is characterized by distinctive brain abnormalities, including amyloid plaques and neurofibrillary tangles. Family members, who often take on the role of primary caregivers, are essential in providing



support for Alzheimer's patients; however, this role can significantly impact their own physical and emotional health.

To assist family caregivers, psychoeducational programs have been developed, offering tools and strategies for managing disease symptoms and alleviating stress. These programs have been shown to benefit caregivers' physical health and enhance their overall quality of life by reducing symptoms of depression and anxiety. Through education on stress reduction and relaxation techniques, caregivers can gain a better understanding of their loved ones' behaviors, helping them adapt to daily caregiving demands. These programs also foster resilience, allowing caregivers to provide sustained home care and improving life quality for both caregivers and patients.

Psychoeducation-guided programs effectively teach skills for handling specific symptoms, such as managing agitation and wandering. In this way, such programs provide critical support to caregivers, lessening the disease's adverse effects on their well-being.

.2 Alzheimer's disease

Alzheimer's disease, a leading form of dementia, is marked by progressive deterioration in cognitive functions, especially impacting memory, judgment, and behavior. It accounts for the majority of dementia cases, comprising around 60-70% globally. Estimates indicate that dementia affects 5-8% of individuals aged 60 and older worldwide (Alzheimer's Disease International, 2021). According to the World Health Organization (WHO), approximately 55 million people currently live with dementia, a number largely attributed to Alzheimer's disease. Projections from a 2021 WHO report suggest this figure may climb to 78 million by 2030 and 139 million by 2050 due to an aging global population.

Alzheimer's disease leads to increasing impairments in daily functioning and the gradual loss of the ability to recognize familiar faces or orient oneself in time and space. The underlying pathology includes the accumulation of amyloid plaques, caused by beta-amyloid proteins, and neurofibrillary tangles, which result in the



progressive death of brain cells. While age is the primary risk factor, other contributors include genetics, cardiovascular conditions, head trauma, and lack of physical activity. Preventive strategies emphasize a healthy lifestyle, incorporating a balanced diet (like the Mediterranean diet), regular physical exercise, cognitive engagement, and social involvement. Studies suggest these practices may lower the risk of developing Alzheimer's or slow its advancement (Norton et al., 2014.)

.3 The family caregiver

A family caregiver is typically a relative who provides consistent support to a loved one with Alzheimer's disease. This assistance often includes physical tasks like managing daily care needs, along with offering emotional and psychological support to help the patient navigate everyday life. Family caregivers are essential in preserving the quality of life for those with Alzheimer's; however, the demands of this role can lead to considerable stress, impacting both their physical and mental well-being.

.3.1 Needs and Expectations of the Caregiver-Care Recipient Couple

As Alzheimer's disease advances, the needs of both caregivers and care recipients change. Caregivers often seek practical guidance on managing symptoms and emotional support to maintain the quality of their relationship with their loved one (Garand et al., 2005). Many express specific goals for training, wishing to expand their understanding of Alzheimer's to handle challenging behaviors effectively and uphold their loved one's dignity (Vaughn et al., 2009). According to research by Schulz and Martire (2004), meeting caregivers' expectations can lessen feelings of isolation and build resilience. Caregivers also value psychosocial support and recognition, emphasizing the need for professional services that are responsive to their individual needs.

.3.2 Impact on Caregiver's Mental and Physical Health and Quality of Life



Family caregivers of individuals with Alzheimer's disease face substantial physical and emotional challenges, as they often take on numerous daily care responsibilities (Brodaty & Donkin, 2009). This heavy burden frequently results in high levels of stress, anxiety, and fatigue, which in turn raises the risk of chronic health issues (Schulz & Martire, 2004). Psychoeducational programs have been created to help alleviate these impacts by providing caregivers with information and techniques to manage patient behaviors and enhance their resilience .

Alzheimer's caregiving takes a toll on mental and physical health, as well as on quality of life. Persistent stress, anxiety, and depressive symptoms are common, making caregivers more susceptible to psychological conditions. Studies indicate that depression rates among caregivers can reach 40%, while the prolonged stress of caregiving increases the risk of burnout (Pinquart & Sörensen, 2011; Cheng et al., 2020). Physically, caregivers often face health issues such as hypertension and musculoskeletal pain due to the strain of caregiving duties (Schulz & Martire, 2004). Quality of life also suffers from emotional exhaustion and social isolation, with loneliness exacerbating their well-being challenges (Acton & Kang, 2001).(However, psychoeducational programs—featuring stress management and relaxation strategies—have been shown to enhance caregiver well-being by reducing perceived burdens, bolstering resilience, and potentially postponing the need for institutional care for patients (Gallagher-Thompson et al., 2012; Cheng et al., 2020). Supporting caregivers with resources and coping skills is therefore essential to preserving their health and quality of life.

3.3Tools to Measure Quality of Life in Family Caregivers of Alzheimer's Patients



Several tools have been developed to assess the quality of life in family caregivers of individuals with Alzheimer's disease. Here are some recent studies presenting these instruments:

□ Assessment of the Quality of Life of Family Caregivers: A study evaluated the quality of life of family caregivers of Alzheimer's patients over six months. The results showed a deterioration in the quality of life of caregivers over time, highlighting the importance of measuring and supporting their well-being ([dumas.ccsd.cnrs.fr](https://dumas.ccsd.cnrs.fr/dumas-01412401/document.((

□ Measuring the Quality of Life of Family Caregivers: A review of tools to measure the quality of life of family caregivers was conducted, highlighting the diversity of available instruments and their relevance in assessing caregivers' well-being (https://shs.cairn.info/revue-gerontologie-et-societe1-2010-2-page-115?lang=fr.(

These studies provide valuable perspectives on the tools used to measure the quality of life of family caregivers, contributing to a better understanding of their needs and the improvement of support for them.

.4 Psychoeducation

Psychoeducation is a therapeutic method designed to equip patients and their caregivers with essential knowledge and skills for understanding and managing a medical or psychological condition, while also enhancing their overall quality of life. Initially developed for psychiatric disorder management, psychoeducation is now used for various chronic illnesses, including mood disorders, neurodegenerative conditions, and cardiovascular diseases (Lukens & McFarlane, 2004). This approach typically involves three key elements: education about the illness, the creation of management strategies, and emotional support. For instance, psychoeducational programs for mood disorders help patients recognize symptoms, understand available treatments, and identify potential relapse



triggers. These programs also offer strategies for stress management and resilience building (Colom & Vieta, 2004.)

Recent reviews show that such programs help improve adherence to treatments and reduce symptom intensity (Dixon et al., 2020). Psychoeducation is often delivered in group formats, where participants can connect and support each other, or through digital platforms, making it accessible to a wider audience and addressing the need for more mental health resources.

.5 Effect of psychoeducation programs on caregivers' physical health

Research indicates that psychoeducational programs are effective in reducing the perceived burden on caregivers and enhancing their ability to manage dementia-related symptoms (Gallagher-Thompson et al., 2012). These programs often provide valuable information about Alzheimer's symptoms along with stress management strategies to help prevent negative health outcomes. For instance, a study by Mittelman et al. (2006) demonstrated that a psychoeducational intervention with regular training and support sessions helped delay the need for institutional care, while also alleviating stress and health issues associated with long-term caregiving at home. Another study by

Tremont et al. (2008) found that combining psychoeducation with cognitive-behavioral therapy (CBT) interventions led to significant reductions in depression and anxiety among caregivers, thereby improving their physical health by lowering the risks associated with chronic stress-induced somatic conditions.

.6 Effect of psychoeducation programs on the quality of life of caregivers

Psychoeducation not only enhances caregivers' physical health but also improves their overall quality of life by providing effective tools to manage daily caregiving challenges (García-Alberca et al., 2014). In Spain, a study by Losada et al. (2010) found that caregivers who participated in psychoeducational programs reported higher quality of



life and better emotional well-being compared to those who received standard care .

A systematic review by Cheng et al. (2020) analyzed several randomized controlled trials to evaluate the effects of psychoeducational programs. The findings showed that interventions, especially those delivered through online and group formats, significantly reduced perceived caregiver burden, eased symptoms of depression and anxiety, and bolstered caregivers' resilience.

Psychoeducation helps caregivers gain a deeper understanding of the behavioral changes associated with dementia, which reduces frustration and improves their ability to adapt to the disease's progression (Brodaty & Donkin, 2009). Additionally, it promotes a sense of satisfaction and control, which positively influences caregivers' quality of life and physical health (Cheng et al., 2020 .(

Research by Mittelman et al. (2007) also indicates that caregivers who participated in psychoeducation programs experienced better physical health due to lower stress levels and enhanced coping strategies. These programs, which incorporate relaxation exercises and time management techniques, help caregivers conserve energy and lessen the negative effects of caregiving on their health.

.7 Guidance program for alzheimer's caregivers

The guidance program for Alzheimer's caregivers, rooted in psychoeducation principles, aims to provide caregivers with essential skills to manage the cognitive and behavioral symptoms of the disease. The program typically includes weekly sessions that cover various topics, such as managing agitation, hallucinations, and wandering behaviors. It incorporates techniques like role-playing, group discussions, and educational videos (Brodaty & Donkin, 2009.(

A study by Nogales-Gaete et al. (2019) found that such programs enhance caregivers' psychological well-being, reducing symptoms of stress and depression. Caregivers who participate gain problem-solving skills, which improve their sense of competence and autonomy. According to Gaugler et al. (2004), guidance programs also



support caregivers in maintaining home care for their loved ones for longer periods, ultimately benefiting the quality of life for both the caregivers and the patients.

.8 Case studies and practical results

A prominent example is the program developed in New York by Mittelman et al. (2007), which demonstrated that consistent and structured psychoeducational support extended the time before patient institutionalization by almost 557 days. Similarly, the INFOSA-DEM program in Spain showed that caregivers who participated in psychoeducational training experienced improved emotional well-being and a reduction in stress compared to those in the control group (Nogales-Gaete et al., 2019.)

These programs integrate essential components such as role-playing, group discussions, educational videos, and stress management techniques, all of which have been shown to significantly reduce both psychological and physical strain on caregivers (Cheng et al., 2020.)

.9 Benefits of group support for caregivers

Support groups offer caregivers a platform to exchange experiences and develop coping strategies for managing the challenges of Alzheimer's disease. These groups foster socialization and interaction, helping to alleviate the feelings of isolation commonly experienced by family caregivers (Gallagher-Thompson et al., 2003). Acton and Kang (2001) found that group interventions are effective in lessening caregivers' perceived burden and providing essential emotional support. A study by Mittelman et al. (2007) revealed that caregivers involved in support groups were more likely to delay the institutionalization of their loved ones, thanks to the enhancement of their caregiving abilities.

.10 Conclusion

Psychoeducation programs offer an effective response to the challenges faced by caregivers of individuals with Alzheimer's disease. By providing tools to manage stress, improve relational skills, and understand the disease, these programs help preserve caregivers'



physical and emotional health while enhancing their quality of life. These interventions must be intensified and diversified to meet the specific needs of each caregiver, fostering sustainable and balanced support for the caregiver-recipient pair.

Références :

- .1 Acton, G. J., & Kang, D. H. (2001). The effects of a support group on caregivers of Alzheimer's disease patients. **The Journal of Nursing Scholarship**, 33(4), 357–363 .
- .2 Alzheimer's Disease International (2021). **World Alzheimer Report 2021: Journey through the diagnosis of dementia**. Alzheimer's Disease International.
- .3 Brodaty, H., & Donkin, M. (2009). Family caregivers of people with dementia. **Dialogues in Clinical Neuroscience**, 11(2), 217-228 .
- .4 Colom, F., & Vieta, E. (2004). "Psychoeducation manual for bipolar disorder." Cambridge University Press.
- .5 Dixon, L. B., et al. (2020). "Updating the evidence and revisiting the goals in schizophrenia treatment." *Psychiatric Services*.
- .6 Gallagher-Thompson, D., Coon, D. W., & Kim, Y. (2012). Evidence-based psychological interventions for dementia caregivers. **Psychiatry Clinics of North America**, 35(4), 849–862 .
- .7 Gaugler, J. E., Kane, R. L., & Newcomer, R. (2004). The effects of family caregiving on the health of dementia caregivers. **The Journals of Gerontology Series B: Psychological Sciences and Social Sciences**, 59(5), S245–S253 .
- .8 Lukens, E. P., & McFarlane, W. R. (2004). "Psychoeducation as evidence-based practice: Considerations for practice, research, and policy." *Brief Treatment and Crisis Intervention*.
- .9 Mittelman, M. S., Roth, D. L., Coon, D. W., & Katona, C. (2006). Improving caregiver well-being delays nursing home placement of patients with Alzheimer's disease. **The Journals of Gerontology Series B: Psychological Sciences and Social Sciences**, 61(3), 181-188 .
- .10 Reavley, N. J., & Jorm, A. F. (2017). "Prevention and early intervention to improve mental health in higher education students: a review and proposed framework." *BMC Psychology*.
- .11 Schulz, R., & Martire, L. M. (2004). Family caregiving and psychological well-being: A meta-analysis. **The Journals of Gerontology Series B: Psychological Sciences and Social Sciences**, 59(5), P225-P233 .
- .12 Tremont, G., Davis, J. E., & Leroi, I. (2008). A randomized controlled trial of a behavioral intervention for family caregivers of persons with dementia. **International Journal of Geriatric Psychiatry**, 23(5), 511–517.
- .13 World Health Organization (WHO). (2021). **Dementia Fact Sheet**. WHO.