

The Efficacy of the Lovaas Program in Improving Imitation Skills in Children with Autism: A Literature Review

فعالية برنامج لوفاس في تحسين التقليد لدى الطفل التوحدي: مراجعة في الأدبيات

*Khaoula Bensalem*¹
k.bensalem.ss@lagh-univ.dz

*Sirine Hadjer Zaabta*²
si.zaabta@lagh-univ.dz

Received: 29/09/2025
تاريخ النشر: 2026/03/15

published: 15/03/2026
تاريخ الاستلام: 2025/09/29

Article abstract:

Autism Spectrum Disorder (ASD) impairs social interaction, communication, and the ability to imitate—an essential skill for development. Enhancing imitation skills requires behavioral interventions like the Lovaas Program, based on Applied Behavior Analysis (ABA). This study reviews 42 scientific articles from PubMed, Google Scholar, and Scopus to assess the program's effectiveness. It examines factors such as autism severity, age at intervention, and parental involvement. Results show that early, intensive use of the program significantly improves imitation in children with ASD. Adapting the approach to each child's unique needs remains essential for optimal outcomes.

Key words: Lovaas Program; Imitation Skills; Autism Spectrum Disorder (ASD).

ملخص المقال:

يُعد اضطراب طيف التوحد عائقًا للتفاعل الاجتماعي والتواصل، ويؤثر سلبًا على قدرة الأطفال على تقليد سلوكيات الآخرين، وهي مهارة أساسية للنمو. تستند التدخلات العلاجية إلى برامج سلوكية مثل برنامج لوفاس، القائم على مبادئ التحليل السلوكي التطبيقي (ABA)، لتعليم المهارات بشكل تدريجي. تهدف الدراسة إلى تقييم فعالية هذا البرنامج في تنمية مهارات التقليد، عبر تحليل 42 دراسة منشورة في قواعد بيانات علمية معروفة. ركزت الدراسة على عوامل مثل شدة التوحد، العمر عند بدء العلاج، ودور الأسرة. أظهرت النتائج تحسنًا ملحوظًا عند استخدام البرنامج بشكل مبكر ومكثف. كما أكدت أهمية مراعاة الفروق الفردية وتكييف البرنامج لاحتياجات كل طفل.

كلمات مفتاحية: برنامج لوفاس، مهارة التقليد، اضطراب طيف التوحد.

1. Amar Telidji University of Laghouat (algeria), Laboratory of psychological health
2. Amar Telidji University of Laghouat (algeria), Laboratory of psychological health

Introduction

Autism Spectrum Disorder (ASD) is a complex neurodevelopmental condition characterized by persistent difficulties in social interaction, communication, and adaptive behavior, often accompanied by repetitive or restricted behavioral patterns. A notable challenge for many children with ASD is their difficulty in imitation—an essential developmental skill that enables learning, communication, and social integration (McDuffie et al., 2007). Imitation facilitates cognitive growth, including memory, reasoning, and language acquisition, and helps children adapt to their environment by transferring learned behaviors to new contexts (Cardon, 2013).

Imitation manifests in various forms:

- **Direct Imitation**, where children replicate specific demonstrated behaviors (Lin & Kubina, 2015).
- **Imitation in Interactive Play**, involving the reproduction of behaviors within play contexts (Subiaul et al., 2007).
- **Observational Learning Imitation**, where children replicate behaviors without direct prompting (MacDonald et al., 2014).

Imitation is crucial for social functioning, enabling participation in games, communication, role-taking, and language development (Spjut Janson et al., 2020). For autistic children, impairments in imitation often hinder the acquisition of these foundational skills, with challenges compounded by difficulties in interpreting social cues, sensory processing, and motor coordination (Ingersoll & Schreibman, 2006; Toth et al., 2007). Early interventions aimed at improving imitation are thus central to improving social and cognitive outcomes (Valentino et al., 2018).

Among the most influential interventions for ASD is the **Lovaas Program**, first developed in the 1960s and grounded in Applied Behavior Analysis (ABA). The program emphasizes early, intensive, and individualized training—often 30–40 hours per week—focusing on imitation, language, and social skills. Techniques such as **Discrete Trial Training (DTT)** and natural environment learning are employed, with active parental involvement and continuous progress monitoring (Smith & Eikeseth, 2011; Rogers & Vismara, 2008). Numerous studies have demonstrated that the Lovaas Program can significantly improve imitation and related skills in autistic children (Devlin & Harber, 2004).

This review aims to evaluate the efficacy of the Lovaas Program in improving imitation skills by synthesizing findings from relevant peer-reviewed literature. The discussion highlights methodological diversity, outcomes, influencing factors, and limitations in the research, while identifying avenues for future work.

Study Objectives:

This study aims to explore the effectiveness of the Lovaas Program in improving imitation skills among autistic children by reviewing prior literature and analyzing findings from scientific research. It will

focus on understanding factors influencing the program's efficacy, the impact of early and intensive intervention on target behaviors, and potential challenges faced by families and professionals in its implementation. Additionally, the study will highlight how the program can be adapted to meet the individual needs of autistic children.

1. Methods and Materials

1.1 Study Design:

The research employed a literature review methodology, synthesizing prior studies on the Lovaas Program's impact on imitation skills. Sources were drawn from PubMed, Google Scholar, and Scopus.

1.2 Study Selection Criteria:

- Peer-reviewed journal articles.
- Focus on Lovaas or ABA-based interventions and imitation outcomes.
- Published between 2000–2023.
- Written in English.
- Included diverse methodologies.

A total of **42 studies** were selected after screening.

1.3 Data Analysis:

A qualitative synthesis was conducted, with results analyzed thematically to highlight the program's effectiveness, methodological approaches, influencing factors, and limitations. Studies were categorized as literature reviews, experimental, descriptive, or comparative.

1.4 Ethical Considerations:

As the review relied on published studies, no direct ethical approval was required. Academic integrity and transparency in citation were maintained.

1.5 Study Limitations:

The review's reliance on existing studies, without new empirical data, restricts its scope. Individual variability among autistic children limits the generalizability of findings.

Table (1) : Results

Study Title	Researcher & Year	Sample	Tools	Product	Results
Behavioral/Psychoeducational Therapies for Autism Spectrum Disorder: Research Needs and Future Directions	Laura Schreibman (2000)	No effective participant sample included	Literature Review	Literature Review	Early behavioral therapies improve skills but must be individualized; outcomes depend on child, family, and therapy type.
Recent Critical Reviews of the Svein University (UCLA) Project for Young Children	Svein Eikeseth (2001)	No effective participant sample included	Literature Review	Literature Review	Lovaas studies show strong skill improvements, often exceeding expectations.



Theoretical Imitation: Increasing Social Interactions in Children with Autism and Other Developmental Disabilities in Inclusive Kindergarten Classes (2002)	Ann N. Garfinkle & Ilene S. Schwartz (2002)	3 children with autism 1 child with developmental delay	Observation Social Validity Questionnaire	Experimental Method	Intervention increased peer imitation, social behavior, and engagement.
Treatment Program in Scotland Centers for Autism: Follow-up Study Results of Preschool Autism Treatment (2002)	Jeff Salt, John Shemilt, Val Sellars, Sheila Boyd, Tracey Coulson, Susan McCool (2002)	20 preschool-aged children with autism	- Bayley Scales of Infant Development - Vineland Adaptive Behavior Scales - Pre-verbal Communication Schedule - MacArthur Communicative Development Inventories - Symbolic Play Test - Early Social Communication Scales	wo-group experimental design with pre- and post-measurements	Gains in socialization, adaptive behavior, imitation, and joint attention; both groups improved in language.
Imitation for Generalization and Requesting: First for Mothers of Young Children with Autism (2003)	Denise E. Ross, R. Douglas Greer (2003)	5 autistic children	Adaptive Behavior Scale	Experimental Method	Children began speaking after motor imitation; verbal skills persisted months later.
Collaboration Between Perspectives and Stakeholders in Discrete Trial Training for Autism Treatment	Sandra D. Devlin, Melissa M. Harber	5 participants	- Domain Scale - Goldman-Fristoe Speech Test - Bayley Developmental Assessment Tool	Experimental Method	After 28 weeks, skills rose from 31% to 69%, showing academic, motor, and social gains.
Enhancing Verbal Behavior Through Behavioral Intervention	James E. Carr, Amanda M. Firth (2005)	No effective participant sample included	Traditional professional tools (based on review of previous tools and consultations)	Review of medications and analysis of available data on the verbal behavioral approach	Review emphasized data-driven strategies for language development.
Early Intensive Behavioral Intervention (EIBI) for Children with Autism: Four-Year	Glen O. Sallows, Tamlynn D. Graupner (2005)	24 children diagnosed with autism	Bayley Scales of Infant Development	Quantitative Experimental Method	48% achieved mainstream integration; success predicted by



Outcomes and Considerations					imitation and social responsiveness.
Teaching Imitation Skills for Social Exchange to Young Children with Autism Using a "Naturalistic Behavioral Approach": Effects on Language, Imaginative Play, and Joint Attention	Brooke Ingersoll, Laura Schreibman (2006)	5 children diagnosed with autism	- DSM-IV - Autism Diagnostic Observation Schedule- Generic (ADOS-G) - Childhood Autism Rating Scale (CARS) - Imitation Direction Assessment	Experimental Method (2005)	Participants improved imitation, language, play, and joint attention.
Educational Approaches in Autism: What we know about what we do	Roma Tutt, Stuart Powell, Mary Thornton (2006)	Critical Analytical Review	Analytical Descriptive Methodology	Analytical Descriptive Methodology	No single superior method; eclectic approaches focusing on independence are promising.
Imitation of Intentional and Accidental Actions by Children with Autism	Barbara D'Entremont, Aimée Yazbek (2007)	- Children with autism (assessed via CARS) - Typically developing preschoolers	- Preschool Language Scale-3 (PLS-3) - Video recordings	Experimental Method	Autistic children imitated both equally, unlike typical peers.
Developmental correlates of different types of motor imitation in young children with autism spectrum disorders	2007 (Andrea McDuffie, Lauren Turner, Wendy Stone, Paul Yoder, Mark Wolery, Teresa Ulman)	22 children with autism and 10 children with Pervasive Developmental Disorder (PDD)	- Motor Imitation Scale - Imitation Accuracy Tracking Scale - Social Exchange Scale - Structured Learning Confidence Scale	Balanced correlational design.	Imitation accuracy positively linked to motor imitation and social play.
Cognitive imitation in typically-developing 3 and 4 year olds and individuals with autism	2007 (Francys Subiaul, Herbert Lurie, Kathryn Romansky, Tovah Klein, David Holmes, Herbert Terrace)	- Experimental Group: 9 males diagnosed with Autism Spectrum Disorder (ASD) - Control Group: 16 typically developing children (3-year-olds) - Additional Control: 16	- Touchscreen task lists - Computerized program - Qualitative behavioral measures (LeBlanc System)	Experimental design with auditory cues (CS, SO, CO) vs. baseline conditions.	Auditory cues improved sequential imitation accuracy and speed.



		typically developing children (4-year-olds)			
Social Abilities, Imitation, Play, and Language in Younger Siblings of Children with Autism	2007 Karen Toth Geraldine Dawson Andrew N. Meltzoff Jessica Greenson Deborah Fei	Experimental Group: 42 children without autism, who are siblings of children with autism. Control Group: 20 children with no family history of autism.		Comparative Descriptive Methodology	Siblings showed below-average language, cognition, and social responses.
Teaching Imitation and Automatic Use of Descriptive Abilities in Young Children with Autism via Naturalistic Behavioral Intervention	2007 Brooke Ingersoll Elizabeth Lewis Emily Kroman	5 male children diagnosed with autism spectrum disorder (ASD).		Experimental Methodology	Children improved in gesture imitation; observers noted more appropriate behavior.
Discriminating which fork to use: Teaching selective imitation to people with autism	2008 Ann K. Brown, John L. Brown, Claire L. Poulson	The actual sample did not include active participants.		Literature Review of Existing Research on Behavioral Learning Techniques Used to Improve Imitation Skills, with a Focus on Their Application in Natural Environments	Training improved selective imitation; need for naturalistic methods.
Use of Early Intensive Behavioral Intervention (EIBI) for Children with Autism	Christina de Rivera, 2008	No sample included	No tools included	Literature review	EIBI enhanced intellectual, adaptive, and behavioral skills; Lovaas superior to alternatives.
Comprehensive Evidence-Based Early Autism Treatment	Sally J. Rogers & Laurie A. Vismara, 2008	No sample included	No tools included	Literature review	Lovaas classified as "established"; other programs less



					consistent.
Behavioral and Developmental Interventions for Autism Spectrum Disorder: A Clinical Systematic Review	Maria B. Ospina; Jennifer K. Seida; Brenda Clark; Mohammad Karkhaneh; Lisa Hartling; Lisa Tjosvold; Ben Vandermeer; Veronica Smith (2008)	No sample included	No tools included	Systematic review: a comprehensive review of the existing literature was conducted.	Lovaas outperformed special education; high-intensity gave better intellectual gains.
Early Behavioral and Functional Skill Interventions for Children with Autism Spectrum Disorders	Stefan Weinmann; Christoph Schwarzbach; Matthias Begemann; Stephanie Roll; Christoph Vauth; Stefan N. Willich; Wolfgang Greiner (2009)	No sample included	No tools included	Systematic literature review of published studies on early behavioral and functional skill interventions for children with ASD	ABA interventions most supported; ≥ 20 hrs/week improved outcomes.
Efficacy of Applied Behavioral Intervention in Preschoolers with Autism Spectrum Disorder to Improve Cognitive, Language, and Adaptive Behavior: A Systematic Review and Meta-Analysis	Michèle Spreckley; Roslyn Boyd (2009)	Studies of preschool children with ASD; 4 studies met inclusion criteria (from an initial pool of 13)	Quality assessed via the PEDro scale; meta-analysis conducted using RevMan 4.2	Systematic review.	ABA improved cognition but had limited impact on language/adaptive skills.
Brief Report: A Randomized Controlled Trial of Reciprocal Imitation Training for Elicited and Spontaneous Imitation in Children with Autism	Brooke Ingersoll (2010)	21 children diagnosed with ASD	Motor Imitation Scale; Unstructured Imitation Assessment	Experimental Method	Treatment improved spontaneous/elicited imitation; play predicted progress.
Behavioral Treatments for Autism Spectrum Disorder: What Do We Know?	Laurie A. Vismara Sally J. Rogers (2010)	No sample included	No tools included	Literature review	ABA most effective; reviewed DTT, PECS, and PRT approaches.
Enhancing Imitation in Young Children with Autism: A Comparison of Reciprocal Imitation Training and Video Modeling	Teresa A. Cardon, M. Jeanne Wilcox (2011)	6 children diagnosed with autism	- Vineland Adaptive Behavior Scales - Childhood Autism Rating Scale (CARS) - Motor	Experimental	Both improved imitation; experimental group showed higher gains.



			Imitation Scale – Autism Diagnostic Observation Schedule (ADOS) – Parent questionnaire – Toys and video materials		
Description of a Community-Based Intensive Behavioral Intervention Program for Individuals with Autism Spectrum Disorder	Ronald B. Leaf, Mitchell T. Taubman, John J. McEachin, Justin B. Leaf, Kathleen H. Tsuji (2011)	64 children and adolescents diagnosed with ASD	– Standardized IQ assessments – Vineland Adaptive Behavior Scales	Descriptive	IQ rose from 77 to 100; 70% reached “optimal outcome.”
A Systematic Review of Early Intensive Intervention for Autism Spectrum Disorders	Zachary Warren, Melissa L. McPheeters, Nila Sathe, Jennifer H. Foss-Feig, Allison Glasser, Jeremy Veenstra-VanderWeele (2011)	No sample included	No tools included	Systematic review	Evidence weak overall, but Lovaas/EIBI showed significant linguistic and cognitive gains.
O. Ivar Lovaas: Pioneer of Applied Behavior Analysis and Early Intervention for Children with Autism Spectrum Disorder	Tristram Smith, Svein Eikeseth (2011)	No sample included	Direct behavioral observation, Functional Behavior Analysis (FBA), Discrete Trial Training (DTT), Behavior modification	Analytical review of the history and work of Lovaas in the field of Applied Behavior Analysis (ABA) and interventions for children with (ASD).	Lovaas’ work improved communication, reduced problem behaviors, and promoted integration.
Teaching Caregivers to Implement Imitation Training Using Video Modeling via iPad for Children with Autism	Teresa A. Cardon (2012)	4 children with autism	Child assessment measures, iPad (for recording and displaying video models), procedural checklist for	Experimental multiple-baseline design across participants.	Caregivers taught imitation successfully; children improved imitation and language.



			creating video models, procedural checklist for video modeling imitation training		
Imitation: A Critical Factor in Natural Interventions for Children with Autism Spectrum Approaches.	2012 James W. Partington, PhD, BCBA-D Marian Woodside, MED Scott W. Partington, BA	Age: A study measuring imitation skills in typically developing children: Four children aged three years. Comparative study of cognitive imitation skills in autistic children: Three children diagnosed with autism.	Partington (PISA) Scale for Skill Measurement: Brief PISA (Partington Imitation Skills Assessment), observational records, Arabic cognitive imitation logs.	The study adopted a mixed-methods approach combining the following methodologies: Comparative Descriptive Methodology: In studying typically developing children, this methodology was employed to describe and assess their imitation skills, which were later compared with those of autistic children. Quasi-Experimental Methodology: In studying autistic children, this methodology was used to examine the impact of a systematic intervention (direct training) on their imitation	Training enhanced imitation in autistic children; highlighted role in assessment.

				skills. Imitation skills were measured both before and after the intervention. Case Analysis Methodology: The case analysis methodology was utilized to provide individual case descriptions for each child participating in the study.	
Video modeling imitation training to support gestural imitation acquisition in young children with autism spectrum disorder	2013 Teresa Cardon	03 Autistic children	- Smart Imitation of Motor Response Scale for Communication Development - Play Assessment Standards - Diagnostic Criteria for Autism Spectrum Disorders	Design of core selection criteria for participants	Two out of the three participants demonstrated an immediate increase in the frequency of imitating gestures that were viewed on an iPad device.
Educational Interventions for Young Children with Autism Spectrum Disorders	Svein Eikeseth, Lars Klintwall (2014)	Not included	Not included	Literature review	The researchers identified a lack of high-quality studies evaluating educational interventions for children with autism. They concluded that Early Intensive Behavioral Intervention (EIBI) is the most evidence-supported intervention for children with autism. Although the Early



					Start Denver Model (ESDM) shows promise, further research is needed before it can be considered scientifically validated.
Educational Interventions for Young Children with Autism Spectrum Disorders	Svein Eikeseth, Lars Klintwall (2014)	Not included	Not included	Literature review of educational interventions for children with autism spectrum disorder (ASD).	The review concluded that Early Intensive Behavioral Intervention (EIBI) remains the most extensively researched intervention for children with ASD, demonstrating positive outcomes in intellectual and adaptive functioning, as well as reductions in autism-related symptoms and stereotypical behaviors. In contrast, other interventions—such as TEACCH, SIT, FloorTime, PRT, RDI, and ESDM —showed less consistent results or lacked sufficient scientific evidence.
See what I see, do as I do: Promoting joint attention and imitation in preschoolers with autism spectrum disorder	Petra Warreyn, Herbert Roeyers (2014)	36 children with autism	-Imitation Scale -Joint Attention Scale -Video Recording -Wechsler Intelligence Scale -Reynell Language Development Scale	Quasi-experimental design with two groups (experimental and control), comparing pre- and post-test measurements .	The experimental group showed significant improvement in joint attention skills compared to the control group. The experimental group also demonstrated improvement in imitation skills, though these results were less pronounced than those for joint attention.
Assessing progress and	Rebecca	-83 children	Early Skills	Longitudinal	The study found

outcome of early intensive behavioral intervention for toddlers with autism	MacDonald, Diana Parry-Cruwys, Sally Dupere, William Ahearn (2014)	with autism (CWA), aged 1–3 years at study onset. -58 typically developing children (TDC) in the same age range for comparison	Assessment Tool (ESAT) , including subscales for: Eye contact Play skills Stereotypical behavior Motor imitation Vocal imitation	study: Children with autism were assessed upon entry into the EIBI program and after one year of therapy. Comparative study: Performance of children with autism was compared to that of typically developing children in the same age group. Direct observation: Data were collected through direct observation of children's performance in specific domains.	that EIBI led to significant improvements in social, cognitive, and linguistic skills for children with autism, particularly those who began therapy before their second birthday. However, not all behavioral domains—such as play and communication skills—showed comparable progress.
Imitation fluency in a student with autism spectrum disorder: an experimental case study	2015 Fan-Yu Lin Richard M. Kubina Jr .	One female student with autism.	Free imitation, time-based measurement, video camera.	Experimental design, single-case study.	The study results showed that combining accuracy-building and frequency-building methods led to better control in <i>instructed imitation</i> . The results also indicated that proficiency in <i>instructed imitation</i> contributed to the development of <i>spontaneous imitation</i> .
Does Impaired Social Motivation Drive Imitation Deficits in Children with Autism	2015 Hannah M. Van	Not included	Not included	Literature review	Evidence suggests that reduced social motivation in children with autism



Spectrum Disorder?	Etten Leslie J. Carver				spectrum disorder may partially explain their imitation deficits.
Validation of a skills assessment to match interventions to teach motor imitation to children with autism	2017 Amber L. Valentino Linda A. LeBlanc Kerry A. Conde	Two children with autism	Motor imitation skills assessment, observational measures, imitation skills protocol.	Experimental design	The study demonstrated that the assessment could effectively identify deficits related to poor motor imitation performance. For example, Roxanne showed deficits in <i>attention</i> , while George showed deficits in <i>delayed imitation</i> . An intervention targeting Roxanne's attention deficits (using salient prompts) yielded rapid results, whereas an intervention targeting George's delayed imitation (using mid-task prompts) showed better outcomes.
The Impact of Training Program Based on Lovaas' Approach in Enhancing of Children's Autism Spectrum Disorder Independence Skills	2019 Khaled Ahmad Obiedat Najihah Abd. Wahid Moath Amin Nasaireh	30 children (ages 4–8) diagnosed with autism spectrum disorder.	Independent Living Skills Scale (researcher-developed).	Quasi-experimental design	Statistically significant differences were found between the experimental and control groups in post-test scores for independent living skills, favoring the experimental group. Post-test mean score: Experimental group = 32.00; Control group = 14.78. No statistically significant differences were observed between post-test and delayed follow-up scores for the experimental group, indicating sustained program



					effectiveness.
The Effectiveness of Training Program Based on Lovaas' Program in Developing Children's Autism Spectrum Disorder Social Skills	2019 Khaled Ahmad Obiedat Najihah Abd. Wahid Moath Amin Nasaireh	30 children (ages 4–8) diagnosed with autism spectrum disorder.	Social Skills Scale	Quasi-experimental design	Statistically significant differences were found between the experimental and control groups in post-test social skills scores, favoring the experimental group. Post-test mean score: Experimental group = 29.8; Control group = 13.10. Social skills improvements for the experimental group persisted in the delayed follow-up, confirming program efficacy. No significant differences were found between post-test and delayed follow-up scores, indicating sustained impact.
Comparing Imitation Responding and IBT for children with ASD, a preschool intervention	2019 Birgitta Spjut Janson Mikael Heimann Tomas Tjus	40 children diagnosed with autism.	- Psychoeducational Assessment Scale - Adaptive Behavior Scale	Experimental	-The comparison between the two groups revealed no significant differences in intervention outcomes. -Within the group receiving the IR intervention, significant changes were observed in four subscales, with the highest impact on <i>imitation and linguistic expression</i> . -Children in the IBT group showed noticeable

					improvements in five subscales, particularly in <i>expressive and receptive language</i> .
Movement flexibility of autistic children during individual therapy using ABA Lovaas table modification with foldable table top	2020 Dwi Candra Purnamasari Sintha Sari Martaningtyas Lulu Purwaningrum	15 autistic children (12 males, 3 females) aged 6–12 years.	-ABA Table A: A traditional table with a semi-elliptical curve on one edge. -Video camera for recording therapy sessions. -Scale for assessing visual and motor communication.	Chi-square test via SPSS for data analysis.	-Adding a rug under the table had a significant effect on therapy outcomes. -Removing the semi-circular curve did not show a significant impact.
Teaching Imitation to Young Children with Autism Spectrum Disorder Using Discrete Trial Training and Contingent Imitation	2021 Alice Bravo Ilene Schwartz	3 children with autism.	-Motor Imitation Scale -Revised Intervention Checklist -Open-Ended Questionnaire	Quantitative Experiment	The study found that combining DTT and dependent imitation enhanced imitation skills in two of the three children. The third child showed minor improvements.

2. Results

2.1 Methodological Diversity in Studies:

The reviewed studies employed varied methodologies:

- **Literature Reviews (15 studies):** e.g., Schreibman (2000); Ospina et al. (2008).
- **Experimental (21 studies):** e.g., Ingersoll & Schreibman (2006); Obiedat (2019).
- **Descriptive (3 studies):** e.g., Leaf et al. (2011).
- **Comparative (3 studies):** e.g., MacDonald et al. (2014).

Experimental approaches generally provided stronger empirical support compared to reviews.

2.2 Effectiveness of the Lovaas Program:

Findings across 18 studies confirmed that the program enhances imitation, communication, adaptive behavior, and social functioning. For instance:

- **Eikeseth (2001):** Outcomes exceeded expectations in skill development.
- **Sallows & Graupner (2005):** Demonstrated robust gains in social and cognitive abilities.
- **Obiedat (2019):** Reported significant improvements in independence and social skills.

2.3 The Role of Imitation in Developing Other Skills:

Studies such as Brooke Ingersoll (2006) demonstrate that enhancing imitation skills contributes to improvements in communication, pretend play, and joint attention, underscoring the importance of integrating imitation as a core component of therapeutic programs. **15 studies** focused on imitation as a primary theme, including:

- Brooke Ingersoll (2006) on teaching imitation to autistic children.
- Teresa Cardon (2011, 2013) on video-based gesture imitation training.
- Francys Subiaul (2007) on cognitive imitation in autistic children.

2.4 Effectiveness of the Lovaas Program in Enhancing Imitation:

Findings across 18 studies confirmed that the program enhances imitation, communication, adaptive behavior, and social functioning. For instance:

- **Eikeseth (2001):** Outcomes exceeded expectations in skill development.
- **Sallows & Graupner (2005):** Demonstrated robust gains in social and cognitive abilities.
- **Obiedat (2019):** Reported significant improvements in independence and social skills.

2.5 Factors Influencing Success:

- **Age of Intervention:** Early interventions, especially before age two, produced the strongest outcomes (MacDonald et al., 2014).
- **Pre-treatment Skills:** Imitation, language, and social responsiveness predicted program success (Sallows & Graupner, 2005).
- **Parental Involvement:** Active caregiver participation improved sustainability (Cardon, 2012).

2.6 Sustainability of Improvement:

Studies such as Obiedat et al. (2019) reported that gains in imitation and social skills persisted over time, confirming the program's long-term effectiveness.

2.7 Limitations of Some Studies:

Some studies (e.g., Spreckley & Boyd, 2009) reported minimal effects on expressive/receptive language, highlighting the need to refine intervention design.

3. Discussion

3.1 Effectiveness of the Lovaas Program in Improving Imitation:

Across decades of research, the Lovaas Program has consistently demonstrated its capacity to improve imitation and related domains in autistic children. Reviews (Ospina et al., 2008; Rogers & Vismara, 2008) identify it as the most empirically validated behavioral intervention for ASD. It has facilitated improvements not only in imitation but also in cognitive performance, adaptive functioning, and language abilities, enabling some children to integrate into mainstream education (de Rivera, 2008).

3.2 Importance of Early and Intensive Intervention:

Evidence strongly supports early, intensive intervention as central to success. Sallows & Graupner (2005) found that results were maximized in community-based programs when intensity mirrored Lovaas' original model. Similarly, MacDonald et al. (2014) confirmed that beginning therapy before age two produced pronounced gains in social and linguistic domains.

3.3 Factors Influencing Program Success:

Program efficacy is shaped by:

- **Pre-treatment abilities:** Strong imitation or language skills at baseline predict greater progress.
- **Individual differences:** Variations in IQ, severity of ASD, and attentional capacities influence outcomes (Valentino et al., 2017).
- **Program customization:** Tailoring interventions to children's unique profiles enhances impact (Warreyn & Roeyers, 2014).

3.4 Impact of Individual Differences:

Studies like Spreckley & Boyd (2009) found no statistically significant impact of certain behavioral interventions on language skills, underscoring the need for program design improvements.

3.5 Improving Imitation and Related Domains:

Brooke Ingersoll & Laura Schreibman (2006) demonstrated naturalistic behavioral interventions' efficacy in enhancing imitation. Teresa Cardon (2013) found video modeling improved gesture imitation, while Alice Bravo & Ilene Schwartz (2022) advocated discrete trial training and contingent imitation. Studies also linked imitation training to broader gains: Ingersoll & Lewis (2007) noted improvements in language and joint attention, and Ann Garfinkle & Ilene Schwartz (2002) highlighted peer imitation's role in social engagement.

3.6 Sustainability and Customization of Training:

Despite overall efficacy, heterogeneity in outcomes (e.g., Sallows & Graupner, 2005; Vismara & Rogers, 2010) underscores the need for individualized adaptations. Factors like pretreatment IQ and autism severity necessitate tailored approaches.

3.7 Variations in Effectiveness and Need for Further Research:

While most studies affirm the Lovaas program's effectiveness, some (e.g., Spreckley & Boyd, 2009) found limited impact on expressive/receptive language, calling for deeper exploration of individual differences

Conclusion:

The Lovaas Program is a highly effective, evidence-based intervention for improving imitation in autistic children. Its strengths lie in early and intensive application, structured yet flexible methodology, and integration of parental involvement. Gains in imitation often extend to language, social interaction, and adaptive behavior, contributing to children's capacity for integration into broader social and educational contexts.

However, variability in outcomes emphasizes the need for individualized tailoring based on age, symptom severity, and cognitive profile. While intensive training hours are effective, reducing them without compromising quality may improve feasibility and sustainability for families. Implementing the program in diverse settings (schools, homes, community centers) and maintaining systematic monitoring are essential for maximizing impact.

Future research should pursue longitudinal, comparative studies to examine sustained outcomes, refine program components, and explore integration with other emerging interventions. The evidence to date strongly supports the Lovaas Program as a cornerstone in the behavioral treatment of ASD, particularly in enhancing imitation skills—a critical foundation for broader developmental progress.

Sources and references

- Ahamd Obiedat, K., Abd Wahid, N., & Amin Nasaireh, M. (2019). European Journal of Special Education Research THE EFFECTIVENESS OF TRAINING PROGRAM BASED ON LOVAAS' PROGRAM IN DEVELOPING CHILDREN'S AUTISM SPECTRUM DISORDER SOCIAL SKILLS. European Journal of Special Education Research, 4, 27. <https://doi.org/10.5281/zenodo.2643489>
- Bravo, A., & Schwartz, I. (2022). Teaching Imitation to Young Children with Autism Spectrum Disorder Using Discrete Trial Training and Contingent Imitation. Journal of Developmental and Physical Disabilities, 34(4), 655–672. <https://doi.org/10.1007/s10882-021-09819-4>
- Brown, A. K., Brown, J. L., & Poulson, C. L. (2008). Discriminating which fork to use: Teaching selective imitation to people with autism. In Research in Autism Spectrum Disorders (Vol. 2, Issue 2, pp. 199–208). <https://doi.org/10.1016/j.rasd.2007.06.001>
- Cardon, T. (2013). Video modeling imitation training to support gestural imitation acquisition in young children with autism spectrum disorder. Speech, Language and Hearing, 16(4), 227–238. <https://doi.org/10.1179/2050572813Y.0000000018>
- Cardon, T. A. (2012). Teaching caregivers to implement video modeling imitation training via iPad for their children with autism. Research in Autism Spectrum Disorders, 6(4), 1389–1400. <https://doi.org/10.1016/j.rasd.2012.06.002>
- Carr, J. E., & Firth, A. M. (2005). The Verbal Behavior Approach to Early and Intensive Behavioral Intervention for Autism: A Call for Additional Empirical Support. In JEIBI (Vol. 2, Issue 1).
- De Rivera, C. (2008). The Use of Intensive Behavioural Intervention for Children With Autism (Vol. 14, Issue 2).
- Devlin, S. D., & Harber, M. M. (2004). Collaboration Among Parents and Professionals with Discrete Trial Training in the Treatment for Autism (Vol. 39, Issue 4).
- Devlin, S. D., & Harber, M. M. (2004). Collaboration among parents and professionals with discrete trial training in the treatment for autism. Journal of Developmental and Physical Disabilities, 16(2), 139–159.
- Devlin, S. D., & Harber, M. M. (2004). Collaboration among parents and professionals with discrete trial training in the treatment for autism. Education and Training in Developmental Disabilities, 39(4), 291–300. <https://doi.org/10.1234/etdd.v39i4.291>
- D'Entremont, B., & Yazbek, A. (2007). Imitation of intentional and accidental actions by children with autism. Journal of Autism and Developmental Disorders, 37(9), 1665–1678. <https://doi.org/10.1007/s10803-006-0291-y>
- Eikeseth, S. (2001). Recent critiques of the UCLA young autism project. Behavioral Interventions, 16(4), 249–264. <https://doi.org/10.1002/bin.095>
- Eikeseth, S., Smith, D. P., & Klintwall, L. (2014). Discrete trial teaching and discrimination training. (pp. 293–324). Springer Science. https://doi.org/10.1007/978-1-4939-0401-3_12
- Garfinkle, A. N., & Schwartz, I. S. (n.d.). Peer Imitation: Increasing Social Interactions in Children with Autism and Other Developmental Disabilities in Inclusive Preschool Classrooms.
- Ingersoll, B. (2010). Brief report: Pilot randomized controlled trial of reciprocal imitation training for teaching elicited and spontaneous imitation to children with autism. Journal of Autism and Developmental Disorders, 40(9), 1154–1160. <https://doi.org/10.1007/s10803-010-0966-2>

- Ingersoll, B., & Schreibman, L. (2006). Teaching reciprocal imitation skills to young children with autism using a naturalistic behavioral approach: Effects on language, pretend play, and joint attention. *Journal of Autism and Developmental Disorders*, 36(4), 487–505. <https://doi.org/10.1007/s10803-006-0089-y>
- Ingersoll, B., Lewis, E., & Kroman, E. (2007). Teaching the imitation and spontaneous use of descriptive gestures in young children with autism using a naturalistic behavioral intervention. *Journal of Autism and Developmental Disorders*, 37(8), 1446–1456. <https://doi.org/10.1007/s10803-006-0221-z>
- Janson, B. S., Heimann, M., & Tjus, T. (2019). Comparing imitation responding and IBT for children with ASD: A preschool intervention. *Journal of Research in Special Educational Needs*, 20(1). <https://doi.org/10.1111/1471-3802.12468>
- Klintwall, L., & Eikeseth, S. (2014). Early and Intensive Behavioral Intervention (EIBI) in Autism. In *Comprehensive Guide to Autism* (pp. 117–137). Springer New York. https://doi.org/10.1007/978-1-4614-4788-7_129
- Leaf, R. B., Taubman, M. T., McEachin, J. J., Leaf, J. B., & Tsuji, K. H. (2011). A program description of a community-based intensive behavioral intervention program for individuals with autism spectrum disorders. *Education and Treatment of Children*, 34(2), 259–285. <https://doi.org/10.1353/etc.2011.0012>
- Lin, F. Y., & Kubina, R. M. (2015). Imitation fluency in a student with autism spectrum disorder: an experimental case study. *European Journal of Behavior Analysis*, 16(1), 2–20. <https://doi.org/10.1080/15021149.2015.1065637>
- MacDonald, R., Parry-Cruwys, D., Dupere, S., & Ahearn, W. (2014). Assessing progress and outcome of early intensive behavioral intervention for toddlers with autism. *Research in Developmental Disabilities*, 35(12), 3632–3644. <https://doi.org/10.1016/j.ridd.2014.08.036>
- McDuffie, A., Turner, L., Stone, W., Yoder, P., Wolery, M., & Ulman, T. (2007). Developmental correlates of different types of motor imitation in young children with autism spectrum disorders. *Journal of Autism and Developmental Disorders*, 37(3), 401–412. <https://doi.org/10.1007/s10803-006-0175-1>
- Obiedat, K. A., Wahid, N. A., & Nasaireh, M. A. (n.d.). European Journal of Special Education Research THE IMPACT OF TRAINING PROGRAM BASED ON LOVAAS' APPROACH IN ENHANCING OF CHILDREN'S AUTISM SPECTRUM DISORDER INDEPENDENCE SKILLS. <https://doi.org/10.5281/zenodo.2643954>
- Ospina, M. B., Seida, J. K., Clark, B., Karkhaneh, M., Hartling, L., Tjosvold, L., Vandermeer, B., & Smith, V. (2008). Behavioural and developmental interventions for autism spectrum disorder: A clinical systematic review. In *PLoS ONE* (Vol. 3, Issue 11). <https://doi.org/10.1371/journal.pone.0003755>
- Partington_ASD04. (n.d.).
- Rogers, S. J., & Vismara, L. A. (2008). Evidence-based comprehensive treatments for early autism. *Journal of Clinical Child and Adolescent Psychology*, 37(1), 8–38. <https://doi.org/10.1080/15374410701817808>
- Ross, D. E., & Douglas Greer, R. (n.d.). Generalized imitation and the mand: inducing first instances of speech in young children with autism.
- Sallows, G. O., & Graupner, T. D. (2005). Maine Ad-ministrators of Service for Children With Disabilities. In *American Association on Mental Retardation* (Vol. 417). Smith.
- Schreibman, L. (2000). Intensive behavioral/psycho-educational treatments for autism: Research needs and future directions. *Journal of Autism and Developmental Disorders*, 30(5), 373–378. <https://doi.org/10.1023/A:1005535120023>
- Smith, T., & Eikeseth, S. (2011). O. Ivar Lovaas: Pioneer of applied behavior analysis and intervention for children with autism. In *Journal of Autism and Developmental Disorders* (Vol. 41, Issue 3, pp. 375–378). <https://doi.org/10.1007/s10803-010-1162-0>



- Spjut Janson, B., Heimann, M., & Tjus, T. (2020). Comparing Imitation Responding and IBT for children with ASD, a preschool intervention. *Journal of Research in Special Educational Needs*, 20(2), 97–108. <https://doi.org/10.1111/1471-3802.12468>
- Spreckley, M., & Boyd, R. (2009). Efficacy of Applied Behavioral Intervention in Preschool Children with Autism for Improving Cognitive, Language, and Adaptive Behavior: A Systematic Review and Meta-analysis. *Journal of Pediatrics*, 154(3), 338–344. <https://doi.org/10.1016/j.jpeds.2008.09.012>
- Subiaul, F., Lurie, H., Romansky, K., Klein, T., Holmes, D., & Terrace, H. (2007). Cognitive imitation in typically-developing 3- and 4-year olds and individuals with autism. *Cognitive Development*, 22(2), 230–243. <https://doi.org/10.1016/j.cogdev.2006.10.003>
- The Scottish Centre for Autism preschool treatment programme. II: The results of a controlled treatment outcome study. (2002).
- Toth, K., Dawson, G., Meltzoff, A. N., Greenson, J., & Fein, D. (2007). Early social, imitation, play, and language abilities of young non-autistic siblings of children with autism. *Journal of Autism and Developmental Disorders*, 37(1), 145–157. <https://doi.org/10.1007/s10803-006-0336-2>
- Tutt, R., Powell, S., & Thornton, M. (2006). Educational approaches in Autism: What we know about what we do. *International Journal of Phytoremediation*, 22(1), 69–81. <https://doi.org/10.1080/02667360500512452>
- Valentino, A. L., LeBlanc, L. A., & Conde, K. A. (2018). Validation of a skills assessment to match interventions to teach motor imitation to children with autism. *Learning and Motivation*, 62, 67–76. <https://doi.org/10.1016/j.lmot.2017.02.005>
- Valentino, A. L., LeBlanc, L., & Conde, K. A. (2017). Validation of a skills assessment to match interventions to teach motor imitation to children with autism. *Learning and Motivation*, 58, 1–10. <https://doi.org/10.1016/j.lmot.2017.02.005>
- Van Etten, H. M., & Carver, L. J. (2015). Does impaired social motivation drive imitation deficits in children with autism spectrum disorder? In *Review Journal of Autism and Developmental Disorders* (Vol. 2, Issue 3, pp. 310–319). Springer Science and Business Media, LLC. <https://doi.org/10.1007/s40489-015-0054-9>
- Vismara, L. A., & Rogers, S. J. (2010). Behavioral treatments in autism spectrum disorder: What do we know? In *Annual Review of Clinical Psychology* (Vol. 6, pp. 447–468). <https://doi.org/10.1146/annurev.clinpsy.121208.131151>
- Warren, Z., McPheeters, M. L., Sathe, N., Foss-Feig, J. H., Glasser, A., & Veenstra-VanderWeele, J. (2011). A systematic review of early intensive intervention for autism spectrum disorders. *Pediatrics*, 127(5), e1303–e1311. <https://doi.org/10.1542/peds.2011-0426>